Continue



Home » Minerals » What is a Mineral? Mineral Crystals: The beautiful purple crystals in the photo above are examples of amethyst, a purple color variety of quartz. These amethyst crystals grew in a cavity below the earth and because they grew in an open space they were able to form into six-sided prisms with pointed terminations. The prismatic habit is characteristic of amethyst. Image copyright iStockphoto / MvH. Every person uses products made from minerals every day. The salt that we add to our food is the mineral halite. Antacid tablets are made from the mineral calcite. Rubies and sapphires are colored varieties of a mineral named corundum. It takes many minerals to make something as simple as a wooden pencil. The "lead" is made from graphite and clay minerals, the brass band is made of copper and zinc, and the paint that colors it contains pigments and fillers made from a variety of minerals. A cell phone is made using dozens of different minerals that are sourced from mines throughout the world. The cars that we drive, the roads that we travel, the buildings that we live in, and the fertilizers used to produce our food are all made using minerals.In the United States, about three billion tons of mineral commodities are consumed each year to support the standard of living of 300 million citizens. That is about ten tons of mineral materials consumed for every person, every year. Common items made from minerals: Most of the things that we use in our daily life are either made from minerals or produced using mineral products. Antacid tablets are made from calcite, table salt is crushed halite, several minerals are used to make a wood pencil, and dozens of minerals from many different countries are used to make a cell phone. Did You Know? The white "m" on a piece of M&M's candy is a titanium oxide pigment, most likely produced from the mineral rutile. Structure of the mineral halite: The mineral "halite" has a chemical composition of NaCl. That means it contains equal numbers of sodium and chloride atoms. In this case they are electrically charged atoms, known as ions. Those ions are arranged in a cubic pattern that repeats in all directions. The small sodium ions are positioned between the larger chloride ions. To meet the definition of "mineral" used by most geologists, a substance must meet five requirements: naturally occurring inorganic solid definite chemical composition ordered internal structure "Naturally occurring" means that people did not make it. Steel is not a mineral because it is an alloy produced by people. "Inorganic" means that the substance is not made by an organism. Wood and pearls are made by organisms and thus are not minerals. "Solid" means that it is not a liquid or a gas at standard temperature and pressure. Water is not a mineral because it is a liquid. "Definite chemical composition" means that all occurrences of that mineral have a chemical composition that varies within a specific limited range. For example: the mineral halite (known as "rock salt" when it is mined) has a chemical composition of NaCl. It is made up of an equal number of atoms of sodium and chlorine. "Ordered internal structure" means that the atoms in a mineral are arranged in a systematic and repeating pattern. The structure of the mineral halite is shown in the illustration on this page. Halite is composed of an equal ratio of sodium and chlorine atoms arranged in a cubic pattern. Did You Know? Although liquid water is not a mineral, it is a mineral when it freezes. Ice is a naturally occurring, inorganic solid with a definite chemical composition and an ordered internal structure. Learn more. The word "mineral" is used in many different ways. Here are some examples: Geologist's Definition A formal definition of a mineral, as used by geologists would be: A naturally occurring inorganic solid that has a definite chemical composition, and an ordered internal structure. Geologists are able to identify minerals because they have characteristic physical properties. Nutritionist's Definition The word "mineral" also has a nutritional meaning, which is different from the meaning used by geologists. A nutritionist uses the word mineral when referring to the many inorganic substances that organisms need to grow, repair tissue, metabolize, and carry out other body processes. Mineral nutrients for the human body include: iron, calcium, copper, sulfur, phosphorus, magnesium and many others. Rhodochrosite: Specimen of rhodochrosite from the Sunnyside Mine, San Juan County, Colorado. Rhodochrosite is a manganese carbonate mineral (MnCO3) that is used as an ore of manganese and is also cut as a gemstone. USGS image. An archaic use of the word "mineral" comes from the Linnaean taxonomy in which all things can be assigned to the animal, vegetable, and mineral kingdoms. Minerals in rocks: Most rocks are aggregates of minerals. This rock, a granite pegmatite, is a mixture of mineral grains. It contains pink orthoclase, milky quartz, black hornblende and black biotite. The word "mineral" is also used inconsistently. In mining, anything obtained from the ground and used by man is considered to be a "mineral commodity" or a "mineral material." These include: crushed stone, which is a manufactured product made from crushed rocks; lime, which is a manufactured product made from limestone or marble (both composed of the mineral calcite); coal which is organic; oil and gas which are organic fluids; rocks such as granite that are mixtures of minerals; and, rocks such as obsidian which are mineraloids and do not have a definite composition and ordered internal structure. 2019 United States Mineral Commodity Consumption Mineral Commodity Million Metric Tons Crushed Stone1,600 Sand and Gravel980 Cement102 Salt57.0 Gypsum42.0 Iron Ore41.0 Phosphate Rock25.0 Clays22.0 Lime18.0 Sulfur9.4 Potash5.4 Soda Ash5.2 Barite3.0 Copper1.8 Lead1.6 Values above are estimates of apparent mineral commodity consumption from the United States Geological Survey. Many other commodities could be added to this table. The construction industry is the largest consumer of mineral commodities. Crushed stone is used for foundations, road base, concrete, and drainage. Sand and gravel are used in concrete and foundations. Clays are used to make cement, bricks, and tile. Iron ore is used to make reinforcing rods, steel beams, nails, and wire. Gypsum is used to make drywall. Dimension stone is used for facing, curbing, flooring, stair treads, and other architectural work. These are just a few of the many uses for these commodities in construction. In agriculture, phosphate rock and potash are used to make fertilizer. Lime is used as an acid-neutralizing soil treatment. Mineral nutrients are added to animal feed. The chemical industry uses large amounts of salt, lime, and soda ash. Large amounts of metals, clay, and mineral fillers/extenders are used in manufacturing. Mohs Hardness Scale is a set of reference minerals used for classroom hardness testing. Determining the hardness of a mineral is one of the most important tests used in mineral identification. The best way to learn about minerals is to study with a collection of small specimens that you can handle, examine, and observe their properties. Inexpensive mineral collections are available in the Geology.com Store. Image copyright iStockphoto / Anna Usova. The Acid Test: Geologists use dilute hydrochloric acid to identify carbonate minerals. Carbonate minerals will effervesce with various levels of vigor in contact with the acid. There are approximately 4000 different minerals, and each of those minerals has a unique set of physical properties. These include: color, streak, hardness, luster, diaphaneity, specific gravity, cleavage, fracture, magnetism, solubility, and many more. These physical properties are useful for identifying minerals. However, they are much more important in determining the potential industrial uses of the mineral. Let's consider a few examples. The mineral talc, when ground into a powder, is perfectly suited for use as a foot powder. It is a soft, slippery powder so it will not cause abrasion. It has the ability to absorb moisture, oils, and odor. It adheres to the skin and produces an astringent effect - yet it washes off easily. No other mineral has a set of physical properties that are as suitable for this purpose. The mineral halite, when crushed into small grains, is perfectly suited for flavoring food. It has a salty taste that most people find pleasing. It dissolves quickly and easily, allowing its flavor to spread through the food. It is soft, so if some does not dissolve it will not damage your teeth. No other mineral has physical properties that are better suited for this use. The mineral gold is perfectly suited for use in jewelry. It can be easily shaped into a custom item of jewelry by a craftsperson. It has a pleasing yellow color that most people enjoy. It has a bright luster that does not tarnish. Its high specific gravity gives it a nice "heft" that is preferred by most people over lighter metals. Other metals can be used to make jewelry, but these properties make gold an overwhelming favorite. (Some people might add that gold's rarity and value are two additional properties that make it desirable for jewelry. However, rarity is not a property, and its value is determined by supply and demand.) Star sapphire: A deep blue star sapphire 8 mm x 6 mm cabochon from Thailand. Inclusions of rutile within the stone align with the crystallographic axis of the corundum to produce the star - which is only clearly visible and centered when the back of the stone is cut at 90 degrees to the C-axis of the crystal. This stone has been heat treated to darken the stone and enhance visibility of the star. The primary characteristics of a mineral that determine its physical properties are its composition and the strength of the bonds in its ordered internal structure. Here are some examples: Galena, a lead sulfide, has a much higher specific gravity than bauxite, an aluminum hydroxide. This difference is because of their composition. Lead is much heavier than aluminum. Diamond and graphite both consist of pure carbon. Diamond is the hardest natural mineral, and graphite is one of the softest. This difference occurs because of the types of bonds connecting the carbon atoms in their mineral structures. Each carbon atom in diamond is bonded to four other carbon atoms with strong covalent bonds. Graphite has a sheet structure in which atoms within the sheets are bonded to one another with strong covalent bonds, but the bonds between the sheets are weak electrical bonds. When graphite is scratched the weak bonds fail easily, making it a soft mineral. The gemstones ruby and sapphire are color variations of the mineral corundum. These color differences are caused by composition. When corundum contains trace amounts of chromium, it exhibits the red color of a ruby. However, when it contains trace amounts of iron or titanium, it exhibits the blue color of sapphire. If, at the time of crystallization, enough titanium is present to form tiny crystals of the mineral rutile, a star sapphire may form. This occurs when tiny crystals of rutile align systematically within the crystalline structure of the corundum to give it a silky luster that might produce a "star" that aligns with the primary crystallographic axis (see photo). Find Other Topics on Geology.com: Rocks: Galleries of igneous, sedimentary and metamorphic rock photos with descriptions. Minerals: Information about ore minerals, gem materials and rock-forming minerals. Volcanoes: Articles about volcanoes, volcanic hazards and eruptions past and present. Gemstones: Colorful images and articles about diamonds and colored stones. General Geology: Articles about geysers, maars, deltas, rifts, salt domes, water, and much more! Geology Store: Hammers, field bags, hand lenses, maps, books, hardness picks, gold pans. Diamonds: Learn about the properties of diamond, its many uses, and diamond discoveries. © 2005-2025 Geology.com. All Rights Reserved. Images, code, and content on this website are property of Geology.com and are protected by copyright law. Geology.com does not grant permission for any use, republication, or redistribution. Science Earth Science, Geologic Time & Fossils Earth Sciences mineral, naturally occurring homogeneous solid with a definite chemical composition and a highly ordered atomic arrangement; it is usually formed by inorganic processes. There are several thousand known mineral species, about 100 of which constitute the major mineral components of rocks; these are the so-called rock-forming minerals. A mineral, which by definition must be formed through natural processes, is distinct from the synthetic equivalents produced in the laboratory. Artificial versions of minerals, including emeralds, sapphires, diamonds, and other valuable gemstones, are regularly produced in industrial and research facilities and are often nearly identical to their natural counterparts. By its definition as a homogeneous solid, a mineral is composed of a single solid substance of uniform composition that cannot be physically separated into simpler chemical compounds. Homogeneity is determined relative to the scale on which it is defined. A specimen that appears homogeneous to the unaided eye, for example, may reveal several mineral components under a microscope or upon exposure to X-ray diffraction techniques. Most rocks are composed of several different minerals; e.g., granite consists of feldspar, quartz, mica, and amphibole. In addition, gases and liquids are excluded by a strict interpretation of the above definition of a mineral. Ice, the solid state of water (H2O), is considered a mineral, but liquid water is not; liquid mercury, though sometimes found in mercury ore deposits, is not classified as a mineral either. Such substances that resemble minerals in chemistry and occurrence are dubbed mineraloids and are included in the general domain of mineralogy. Trigonal systemTrigonal (rhombohedral) crystals of quartz.Since a mineral has a definite composition, it can be expressed by a specific chemical formula. Quartz (silicon dioxide), for instance, is rendered as SiO2, because the elements silicon (Si) and oxygen (O) are its only constituents and they invariably appear in a 1:2 ratio. The chemical makeup of most minerals is not as well defined as that of quartz, which is a pure substance. Siderite, for example, does not always occur as pure iron carbonate (FeCO3); magnesium (Mg), manganese (Mn), and, to a limited extent, calcium (Ca) may sometimes substitute for the iron. Since the amount of the replacement may vary, the composition of siderite is not fixed and ranges between certain limits, although the ratio of the metal cation to the anionic group remains fixed at 1:1. Its chemical makeup may be expressed by the general formula (Fe, Mn, Mg, Ca)CO3, which reflects the variability of the metal content. pyriteSchematic representation of the structure of pyrite (FeS2) as based on a cubic array of ferrous iron cations (Fe2+) and sulfur anions (S−).Minerals display a highly ordered internal atomic structure that has a regular geometric form. Because of this feature, minerals are classified as crystalline solids. Under favourable conditions, crystalline materials may express their ordered internal framework by a well-developed external form, often referred to as crystal form or morphology. Solids that exhibit no such ordered internal arrangement are termed amorphous. Many amorphous natural solids, such as glass, are categorized as mineraloids. Rocks, Minerals, and More Quiz Traditionally, minerals have been described as resulting exclusively from inorganic processes; however, current mineralogic practice often includes as minerals those compounds that are organically produced but satisfy all other mineral requirements. Aragonite (CaCO3) is an example of an inorganically formed mineral that also has an organically produced, yet otherwise identical, counterpart; the shell (and the pearl, if it is present) of an oyster is composed to a large extent of organically formed aragonite. Minerals also are produced by the human body: hydroxylapatite [Ca5(PO4)3(OH)] is the chief component of bones and teeth, and calculi are concretions of mineral substances found in the urinary system. franklinite, willemite, and calciteSpecimen showing bright fluorescent colour resulting from ultraviolet irradiation of calcite (calcium carbonate; red fluorescence) with grains of franklinite (a zinc, manganese, and iron oxide; black coloration), which is nonfluorescent. Veins and grains of willemite (a zinc silicate; green fluorescence) also appear.While minerals are classified in a logical manner according to their major anionic (negatively charged) chemical constituents into groups such as oxides, silicates, and nitrates, they are named in a far less scientific or consistent way. Names may be assigned to reflect a physical or chemical property, such as colour, or they may be derived from various subjects deemed appropriate, such as, for example, a locality, public figure, or mineralogist. Some examples of mineral names and their derivations follow: albite (NaAlSi3O8) is from the Latin word (albus) for “white” in reference to its colour; goethite (FeO • OH) is in honour of Johann Wolfgang von Goethe, the German poet; manganite (MnO • OH) reflects the mineral’s composition; franklinite (ZnFe2O4) is named after Franklin, New Jersey, U.S., the site of its occurrence as the dominant ore mineral for zinc (Zn); and sillimanite (Al2SiO4) is in honour of the American chemist Benjamin Silliman. Since 1960 the Commission on New Minerals and Mineral Names of the International Mineralogical Association has reviewed descriptions of new minerals and proposals for new mineral names and has attempted to remove inconsistencies. Any new mineral name must be approved by this committee, and the type material is usually stored in a museum or university collection. Science Earth Science, Geologic Time & Fossils Earth Sciences mineral, naturally occurring homogeneous solid with a definite chemical composition and a highly ordered atomic arrangement; it is usually formed by inorganic processes. There are several thousand known mineral species, about 100 of which constitute the major mineral components of rocks; these are the so-called rock-forming minerals. A mineral, which by definition must be formed through natural processes, is distinct from the synthetic equivalents produced in the laboratory. Artificial versions of minerals, including emeralds, sapphires, diamonds, and other valuable gemstones, are regularly produced in industrial and research facilities and are often nearly identical to their natural counterparts. By its definition as a homogeneous solid, a mineral is composed of a single solid substance of uniform composition that cannot be physically separated into simpler chemical compounds. Homogeneity is determined relative to the scale on which it is defined. A specimen that appears homogeneous to the unaided eye, for example, may reveal several mineral components under a microscope or upon exposure to X-ray diffraction techniques. Most rocks are composed of several different minerals; e.g., granite consists of feldspar, quartz, mica, and amphibole. In addition, gases and liquids are excluded by a strict interpretation of the above definition of a mineral. Ice, the solid state of water (H2O), is considered a mineral, but liquid water is not; liquid mercury, though sometimes found in mercury ore deposits, is not classified as a mineral either. Such substances that resemble minerals in chemistry and occurrence are dubbed mineraloids and are included in the general domain of mineralogy. Trigonal systemTrigonal (rhombohedral) crystals of quartz.Since a mineral has a definite composition, it can be expressed by a specific chemical formula. Quartz (silicon dioxide), for instance, is rendered as SiO2, because the elements silicon (Si) and oxygen (O) are its only constituents and they invariably appear in a 1:2 ratio. The chemical makeup of most minerals is not as well defined as that of quartz, which is a pure substance. Siderite, for example, does not always occur as pure iron carbonate (FeCO3); magnesium (Mg), manganese (Mn), and, to a limited extent, calcium (Ca) may sometimes substitute for the iron. Since the amount of the replacement may vary, the composition of siderite is not fixed and ranges between certain limits, although the ratio of the metal cation to the anionic group remains fixed at 1:1. Its chemical makeup may be expressed by the general formula (Fe, Mn, Mg, Ca)CO3, which reflects the variability of the metal content. pyriteSchematic representation of the structure of pyrite (FeS2) as based on a cubic array of ferrous iron cations (Fe2+) and sulfur anions (S−).Minerals display a highly ordered internal atomic structure that has a regular geometric form. Because of this feature, minerals are classified as crystalline solids. Under favourable conditions, crystalline materials may express their ordered internal framework by a well-developed external form, often referred to as crystal form or morphology. Solids that exhibit no such ordered internal arrangement are termed amorphous. Many amorphous natural solids, such as glass, are categorized as mineraloids. Rocks, Minerals, and More Quiz Traditionally, minerals have been described as resulting exclusively from inorganic processes; however, current mineralogic practice often includes as minerals those compounds that are organically produced but satisfy all other mineral requirements. Aragonite (CaCO3) is an example of an inorganically formed mineral that also has an organically produced, yet otherwise identical, counterpart; the shell (and the pearl, if it is present) of an oyster is composed to a large extent of organically formed aragonite. Minerals also are produced by the human body: hydroxylapatite [Ca5(PO4)3(OH)] is the chief component of bones and teeth, and calculi are concretions of mineral substances found in the urinary system. franklinite, willemite, and calciteSpecimen showing bright fluorescent colour resulting from ultraviolet irradiation of calcite (calcium carbonate; red fluorescence) with grains of franklinite (a zinc, manganese, and iron oxide; black coloration), which is nonfluorescent. Veins and grains of willemite (a zinc silicate; green fluorescence) also appear.While minerals are classified in a logical manner according to their major anionic (negatively charged) chemical constituents into groups such as oxides, silicates, and nitrates, they are named in a far less scientific or consistent way. Names may be assigned to reflect a physical or chemical property, such as colour, or they may be derived from various subjects deemed appropriate, such as, for example, a locality, public figure, or mineralogist. Some examples of mineral names and their derivations follow: albite (NaAlSi3O8) is from the Latin word (albus) for “white” in reference to its colour; goethite (FeO • OH) is in honour of Johann Wolfgang von Goethe, the German poet; manganite (MnO • OH) reflects the mineral’s composition; franklinite (ZnFe2O4) is named after Franklin, New Jersey, U.S., the site of its occurrence as the dominant ore mineral for zinc (Zn); and sillimanite (Al2SiO4) is in honour of the American chemist Benjamin Silliman. Since 1960 the Commission on New Minerals and Mineral Names of the International Mineralogical Association has reviewed descriptions of new minerals and proposals for new mineral names and has attempted to remove inconsistencies. Any new mineral name must be approved by this committee, and the type material is usually stored in a museum or university collection. Share — copy and redistribute the material in any medium or format for any purpose, even commercially. Adapt — remix, transform, and build upon the material for any purpose, even commercially. The licensor cannot revoke these freedoms as long as you follow the license terms. Attribution — You must give appropriate credit , provide a link to the license, and indicate if changes were made . You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. ShareAlike — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original. No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits. You do not have to comply with the license for elements of the material in the public domain or where your use is permitted by an applicable exception or limitation . No warranties are given. The license may not give you all of the permissions necessary for your intended use. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material. Science Earth Science, Geologic Time & Fossils Earth Sciences mineral, naturally occurring homogeneous solid with a definite chemical composition and a highly ordered atomic arrangement; it is usually formed by inorganic processes. There are several thousand known mineral species, about 100 of which constitute the major mineral components of rocks; these are the so-called rock-forming minerals. A mineral, which by definition must be formed through natural processes, is distinct from the synthetic equivalents produced in the laboratory. Artificial versions of minerals, including emeralds, sapphires, diamonds, and other valuable gemstones, are regularly produced in industrial and research facilities and are often nearly identical to their natural counterparts. By its definition as a homogeneous solid, a mineral is composed of a single solid substance of uniform composition that cannot be physically separated into simpler chemical compounds. Homogeneity is determined relative to the scale on which it is defined. A specimen that appears homogeneous to the unaided eye, for example, may reveal several mineral components under a microscope or upon exposure to X-ray diffraction techniques. Most rocks are composed of several different minerals; e.g., granite consists of feldspar, quartz, mica, and amphibole. In addition, gases and liquids are excluded by a strict interpretation of the above definition of a mineral. Ice, the solid state of water (H2O), is considered a mineral, but liquid water is not; liquid mercury, though sometimes found in mercury ore deposits, is not classified as a mineral either. Such substances that resemble minerals in chemistry and occurrence are dubbed mineraloids and are included in the general domain of mineralogy. Trigonal systemTrigonal (rhombohedral) crystals of quartz.Since a mineral has a definite composition, it can be expressed by a specific chemical formula. Quartz (silicon dioxide), for instance, is rendered as SiO2, because the elements silicon (Si) and oxygen (O) are its only constituents and they invariably appear in a 1:2 ratio. The chemical makeup of most minerals is not as well defined as that of quartz, which is a pure substance. Siderite, for example, does not always occur as pure iron carbonate (FeCO3); magnesium (Mg), manganese (Mn), and, to a limited extent, calcium (Ca) may sometimes substitute for the iron. Since the amount of the replacement may vary, the composition of siderite is not fixed and ranges between certain limits, although the ratio of the metal cation to the anionic group remains fixed at 1:1. Its chemical makeup may be expressed by the general formula (Fe, Mn, Mg, Ca)CO3, which reflects the variability of the metal content. pyriteSchematic representation of the structure of pyrite (FeS2) as based on a cubic array of ferrous iron cations (Fe2+) and sulfur anions (S−).Minerals display a highly ordered internal atomic structure that has a regular geometric form. Because of this feature, minerals are classified as crystalline solids. Under favourable conditions, crystalline materials may express their ordered internal framework by a well-developed external form, often referred to as crystal form or morphology. Solids that exhibit no such ordered internal arrangement are termed amorphous. Many amorphous natural solids, such as glass, are categorized as mineraloids. Rocks, Minerals, and More Quiz Traditionally, minerals have been described as resulting exclusively from inorganic processes; however, current mineralogic practice often includes as minerals those compounds that are organically produced but satisfy all other mineral requirements. Aragonite (CaCO3) is an example of an inorganically formed mineral that also has an organically produced, yet otherwise identical, counterpart; the shell (and the pearl, if it is present) of an oyster is composed to a large extent of organically formed aragonite. Minerals also are produced by the human body: hydroxylapatite [Ca5(PO4)3(OH)] is the chief component of bones and teeth, and calculi are concretions of mineral substances found in the urinary system. franklinite, willemite, and calciteSpecimen showing bright fluorescent colour resulting from ultraviolet irradiation of calcite (calcium carbonate; red fluorescence) with grains of franklinite (a zinc, manganese, and iron oxide; black coloration), which is nonfluorescent. Veins and grains of willemite (a zinc silicate; green fluorescence) also appear.While minerals are classified in a logical manner according to their major anionic (negatively charged) chemical constituents into groups such as oxides, silicates, and nitrates, they are named in a far less scientific or consistent way. Names may be assigned to reflect a physical or chemical property, such as colour, or they may be derived from various subjects deemed appropriate, such as, for example, a locality, public figure, or mineralogist. Some examples of mineral names and their derivations follow: albite (NaAlSi3O8) is from the Latin word (albus) for “white” in reference to its colour; goethite (FeO • OH) is in honour of Johann Wolfgang von Goethe, the German poet; manganite (MnO • OH) reflects the mineral’s composition; franklinite (ZnFe2O4) is named after Franklin, New Jersey, U.S., the site of its occurrence as the dominant ore mineral for zinc (Zn); and sillimanite (Al2SiO4) is in honour of the American chemist Benjamin Silliman. Since 1960 the Commission on New Minerals and Mineral Names of the International Mineralogical Association has reviewed descriptions of new minerals and proposals for new mineral names and has attempted to remove inconsistencies. Any new mineral name must be approved by this committee, and the type material is usually stored in a museum or university collection. The chemical properties of minerals mainly reflect the chemical properties of the atoms present in each. However, even here these properties depend on the way the atoms are bound in the mineral's crystal structure. Let us examine the property known as solubility — the ability of a mineral to dissolve in a liquid, like salt and water.Nearly all minerals are soluble in water. But most dissolve to such a limited extent as to go almost unnoticed. A liquid is called a solvent when it's action on a solid substance is to break apart the atoms of the crystal structure, thus dissolving it.With some minerals, not all the atoms in the crystal structure are taken into solution. The two specimens at the lower left illustrate this phenomenon for the mineral muscovite. Fresh crystals in one specimen contrast with the other, to its right, which look somewhat faded. If the fresh looking sample were subjected to running water, potassium atoms originally present in the layered structure would dissolve, and the muscovite would gradually change from a mica to a clay minerals. Such is the mineral illite, the faded-looking sample.In the series of mineral groups displayed on the right side of this case, different specimens show variations in chemical properties. The top group represents the range of temperatures at which the minerals will melt or change to a liquid. The melting point is also known as the fusing temperature.Minerals composed of atoms that are not tightly bonded within the crystal structure will melt at relatively low temperatures. However, much heat may be needed to break the chemical bonds of other minerals.The mineral quartz, for example, will only melt above 1,610 degrees Celsius, or 2,930 degrees Fahrenheit. The next group of minerals are not found in areas of high rainfall or high humidity because these minerals dissolve easily in water. Thus, a desert region, such as Death Valley, would be an ideal place for these minerals to form.Water is not the only liquid which will dissolve minerals. Several minerals, especially some of the carbonates, will dissolve readily in dilute hydrochloric acid. When that happens, a chemical reaction releases carbon dioxide gas.The resulting bubbling, or effervescence, is a useful aid in identifying some of the more readily soluble carbonates, such as calcite, calcium carbonate, specimen number 12, which is found in limestones, and of which seashells are made.The next group of minerals show another kind of solution quite common among minerals. This is called solid solution, in which two or more chemical compounds share the same crystal structure, forming a homogeneous crystalline substance. A mineral which belongs to such a solid solution has no single fixed chemical composition.Rather, its composition is a proportion of the two or more limiting compositions called end members. Such minerals are commonly named for the end members they most nearly resemble in composition.However, intermediate members have sometimes been used for naming, as with the plagioclase feldspars. The plagioclases are a solid solution series with the end members, albite, sodium bearing, and anorthite, calcium bearing, but also with intermediate members, such as labradorite and oligoclase, number 27. Science Earth Science, Geologic Time & Fossils Earth Sciences mineral, naturally occurring homogeneous solid with a definite chemical composition and a highly ordered atomic arrangement; it is usually formed by inorganic processes. There are several thousand known mineral species, about 100 of which constitute the major mineral components of rocks; these are the so-called rock-forming minerals. A mineral, which by definition must be formed through natural processes, is distinct from the synthetic equivalents produced in the laboratory. Artificial versions of minerals, including emeralds, sapphires, diamonds, and other valuable gemstones, are regularly produced in industrial and research facilities and are often nearly identical to their natural counterparts. By its definition as a homogeneous solid, a mineral is composed of a single solid substance of uniform composition that cannot be physically separated into simpler chemical compounds. Homogeneity is determined relative to the scale on which it is defined. A specimen that appears homogeneous to the unaided eye, for example, may reveal several mineral components under a microscope or upon exposure to X-ray diffraction techniques. Most rocks are composed of several different minerals; e.g., granite consists of feldspar, quartz, mica, and amphibole. In addition, gases and liquids are excluded by a strict interpretation of the above definition of a mineral. Ice, the solid state of water (H2O), is considered a mineral, but liquid water is not; liquid mercury, though sometimes found in mercury ore deposits, is not classified as a mineral either. Such substances that resemble minerals in chemistry and occurrence are dubbed mineraloids and are included in the general domain of mineralogy. Trigonal systemTrigonal (rhombohedral) crystals of quartz.Since a mineral has a definite composition, it can be expressed by a specific chemical formula. Quartz (silicon dioxide), for instance, is rendered as SiO2, because the elements silicon (Si) and oxygen (O) are its only constituents and they invariably appear in a 1:2 ratio. The chemical makeup of most minerals is not as well defined as that of quartz, which is a pure substance. Siderite, for example, does not always occur as pure iron carbonate (FeCO3); magnesium (Mg), manganese (Mn), and, to a limited extent, calcium (Ca) may sometimes substitute for the iron. Since the amount of the replacement may vary, the composition of siderite is not fixed and ranges between certain limits, although the ratio of the metal cation to the anionic group remains fixed at 1:1. Its chemical makeup may be expressed by the general formula (Fe, Mn, Mg, Ca)CO3, which reflects the variability of the metal content. pyriteSchematic representation of the structure of pyrite (FeS2) as based on a cubic array of ferrous iron cations (Fe2+) and sulfur anions (S−).Minerals display a highly ordered internal atomic structure that has a regular geometric form. Because of this feature, minerals are classified as crystalline solids. Under favourable conditions, crystalline materials may express their ordered internal framework by a well-developed external form, often referred to as crystal form or morphology. Solids that exhibit no such ordered internal arrangement are termed amorphous. Many amorphous natural solids, such as glass, are categorized as mineraloids. Rocks, Minerals, and More Quiz Traditionally, minerals have been described as resulting exclusively from inorganic processes; however, current mineralogic practice often includes as minerals those compounds that are organically produced but satisfy all other mineral requirements. Aragonite (CaCO3) is an example of an inorganically formed mineral that also has an organically produced, yet otherwise identical, counterpart; the shell (and the pearl, if it is present) of an oyster is composed to a large extent of organically formed aragonite. Minerals also are produced by the human body: hydroxylapatite [Ca5(PO4)3(OH)] is the chief component of bones and teeth, and calculi are concretions of mineral substances found in the urinary system. franklinite, willemite, and calciteSpecimen showing bright fluorescent colour resulting from ultraviolet irradiation of calcite (calcium carbonate; red fluorescence) with grains of franklinite (a zinc, manganese, and iron oxide; black coloration), which is nonfluorescent. Veins and grains of willemite (a zinc silicate; green fluorescence) also appear.While minerals are classified in a logical manner according to their major anionic (negatively charged) chemical constituents into groups such as oxides, silicates, and nitrates, they are named in a far less scientific or consistent way. Names may be assigned to reflect a physical or chemical property, such as colour, or they may be derived from various subjects deemed appropriate, such as, for example, a locality, public figure, or mineralogist. Some examples of mineral names and their derivations follow: albite (NaAlSi3O8) is from the Latin word (albus) for “white” in reference to its colour; goethite (FeO • OH) is in honour of Johann Wolfgang von Goethe, the German poet; manganite (MnO • OH) reflects the mineral’s composition; franklinite (ZnFe2O4) is named after Franklin, New Jersey, U.S., the site of its occurrence as the dominant ore mineral for zinc (Zn); and sillimanite (Al2SiO4) is in honour of the American chemist Benjamin Silliman. Since 1960 the Commission on New Minerals and Mineral Names of the International Mineralogical Association has reviewed descriptions of new minerals and proposals for new mineral names and has attempted to remove inconsistencies. Any new mineral name must be approved by this committee, and the type material is usually stored in a museum or university collection. Everything around you is formed from chemical elements, or substances made up of only one kind of atom. There are 118 identified elements, of which 94 are natural and the rest are human-made. Most of these elements are found combined with other elements as chemical compounds.Minerals are naturally occurring elements or compounds. Most are inorganic solids (apart from liquid mercury and a few organic minerals) and defined by their chemical composition and crystal structure.By weight, 99.5 per cent of minerals are formed from only 12 of the natural elements. Clearly, some elements are far more common than others. The same goes for minerals. Of the 5800 or so known minerals, only 10 make up 95 per cent of the Earth’s crust. Some minerals are only made up of one element – we call these minerals ‘native elements’. They include metals, gemstones, simple ores and the only liquid metal mineral, mercury. Some, like gold, only combine with a small number of other elements.Others, like sulphur, can combine readily with other elements, but also form alone under special chemical conditions. Some metallic elements mix easily with each other and are called alloys. An example of a natural alloy is osmiridium, which is made of two rare elements osmium and iridium. There are over 5800 different minerals. Each mineral is classified by both its chemical composition (the elements from which it is formed) and crystal structure (the pattern the atoms form when they lock together). Graphite and diamond are made of the same element, carbon, but have different crystal shapes so are different minerals.The unique chemical composition and crystal structure affect a mineral’s physical properties such as colour, hardness, density, or how it breaks or reflects light. Testing for these properties helps identify an unknown mineral. Sometimes, complex tests are needed such as magnetism, radioactivity, acidic reaction or x-rays. Minerals of the same species, such as quartz, all have the same x-ray pattern, although they may look quite different. We can identify some minerals using our senses. For instance, talc feels soapy, some clays have distinctive smells and salt has certain taste. Talc is the softest of the minerals, measuring 1 on Mohs Hardness Scale. Hardness is measured by scratching a mineral against ten standard minerals and other common objects. The table below indicates the accepted standard of the comparative hardness of minerals, ranging from the softest (talc) to the hardest (diamond). Mohs Hardness Scale Hardness Mineral 1 Talc 2 Gypsum 3 Calcite 4 Fluorite 5 Apatite 6 Orthoclase 7 Quartz 8 Topaz 9 Corundum 10 Diamond Different minerals with the same volume can have different weights. This is because their weight depends on that of their elements and their density (how closely they are packed together).Density is measured by the relative weight of the item to water and is referred to as its specific gravity (SG). Specific gravity is one of the most important, constant and quantifiable properties of a mineral. Magnetism occurs in iron-rich minerals. Magnetite is one of the most magnetic minerals. You can see for yourself how it is attracted to a magnet, but it can also be a magnet itself. Graphite and diamond are both made of carbon but have different crystal structures. This makes them different minerals. The bonds between each layer of graphite’s carbon atoms are weak, giving it a soft character and allowing us to write with it.The bonds holding diamond’s carbon atoms together are interlocking giving it great strength and making it the hardest natural substance known. Some minerals are always the same colour; malachite is green because copper is its main element. Other minerals can have many colours because of impurities or faults in their structure. Ruby and sapphire are both the same mineral, corundum, which is colourless when pure. The red in ruby comes from traces of chromium. The blue in sapphire comes from traces of iron and titanium.Though a mineral may appear in several colours its powdered form is always the same and is a useful identity test. Rubbing a mineral across an unglazed ceramic plate creates a powdered streak. Lustre describes how light reflects off the surface of a mineral. There are special terms to describe the lustre of a mineral, starting with metallic and non-metallic. Tenacity is the mineral’s reaction to pressure. Most minerals are brittle and shatter when hit. Others may be easy to cut, flatten, bend or can spring back. The way a mineral breaks is due to its molecular structure. Cleavage refers to a break that is along flat planes, with smooth, even splits. Fracture refers to breaks that are not flat or even. Most minerals exhibit fracture, but not all exhibit cleavage. You have reached the end of the page. Thank you for reading. A mineral is a naturally occurring, inorganic solid substance that has a specific chemical composition and a crystalline structure. Minerals are the building blocks of rocks, which are made up of one or more minerals. They are typically formed through various geological processes, such as crystallization from a melt (igneous), precipitation from a solution (sedimentary), or metamorphism (metamorphic). Minerals can have a wide range of physical properties, including color, luster, hardness, cleavage, fracture, streak, specific gravity, crystal habit, and solubility, among others. These properties can be used for mineral identification and characterization. Minerals have a defined chemical composition, consisting of specific elements in fixed proportions. The chemical composition of a mineral determines its characteristic properties and behavior. Minerals can be composed of a single element, such as native copper, which is composed solely of copper atoms, or they can be composed of multiple elements arranged in a specific crystal lattice structure, such as quartz, which is composed of silicon and oxygen atoms arranged in a repeating pattern. Minerals are important for many aspects of human society and the environment. They are used as raw materials in various industries, such as mining, construction, energy, electronics, agriculture, and manufacturing. Minerals are also used in the production of metals, ceramics, glass, fertilizers, chemicals, and other products. Some minerals, known as gemstones, are highly prized for their beauty and rarity, and are used in jewelry and decorative objects. Minerals also play a crucial role in Earth’s geology, as they provide clues about the planet’s history, the processes that have shaped its surface and interior, and the evolution of life on Earth. They are also important for understanding natural resources, environmental issues, and sustainable resource management. Overall, minerals are fundamental components of the Earth’s geology, human society, and natural environment, with diverse applications and significance in various fields. Gemstones are precious or semi-precious minerals or rocks that are prized for their beauty, rarity, and durability. They are used in jewelry, decorative items, and sometimes in industrial applications. Gemstones are typically minerals that are found in nature, but some gemstones can also be rocks composed of several minerals. Some common examples of gemstones include diamonds, emeralds, rubies, sapphires, amethyst, topaz, and garnet, among many others. Gemstones are formed through various geological processes, such as crystallization from magma, precipitation from hydrothermal fluids, and metamorphism. The unique combination of chemical composition, crystal structure, and color or optical properties of each gemstone gives them their distinctive appearance and value. Gemstones are often cut and polished to enhance their beauty and make them suitable for use in jewelry or other decorative items. Gemstones have been prized by humans for thousands of years for their aesthetic appeal, cultural significance, and perceived metaphysical properties. They are often used as symbols of wealth, power, and status, and are associated with special occasions such as engagements, weddings, and anniversaries. Gemstones are also used in various healing and metaphysical practices, believed to have different properties and energies that can affect the well-being and spirituality of individuals. The study of gemstones, known as gemology, involves the identification, classification, and evaluation of gemstones based on their physical and optical properties, as well as their rarity and value in the market. Gemstones are traded globally in a multi-billion dollar industry, and their value can vary greatly depending on factors such as rarity, size, color, clarity, and cut. Proper identification and evaluation of gemstones require specialized knowledge and expertise in gemology, and professional gemologists use various tools and techniques to accurately identify and appraise gemstones. Minerals can